



# Product Specifications



## Infrared Interactive whiteboard.



**Xi'an Huiqun Group Co., Ltd**

**Address: No.188, Dongsheng Mansion, North of Wenyi Road, Beilin District, Xi'an, China.**

**Mob.: +86-18209185937**

**Email: [windy@xahuiqun.com](mailto:windy@xahuiqun.com)**



## Product Specifications



**Xi'an Huiqun Group Co., Ltd**

**Address: No.188, Dongsheng Mansion, North of Wenyi Road, Beilin District, Xi'an, China.**

**Mob.: +86-18209185937**

**Email: [windy@xahuiqun.com](mailto:windy@xahuiqun.com)**

# Product Specifications



**Xi'an Huiqun Group Co., Ltd**

**Address: No.188, Dongsheng Mansion, North of Wenyi Road, Beilin District, Xi'an, China.**

**Mob.: +86-18209185937**

**Email: windy@xahuiqun.com**



# Product Specifications



**Xi'an Huiqun Group Co., Ltd**

**Address: No.188, Dongsheng Mansion, North of Wenyi Road, Beilin District, Xi'an, China.**

**Mob.: +86-18209185937**

**Email: windy@xahuiqun.com**



# Product Specifications



## Technology Specification

### HQ Interactive Whiteboard Specification

Product Model	HQ-I series			
	HQ-I82	HQ-I92	HQ-I94	HQ-I101
Material	EVA Nano coating + Aluminum honey comb inside + Galvanized sheet			
Products Size	1746*1251*36mm	1971*1400*36mm	2046*1251*36mm	2246*1251*36mm
Active Area	1670*1175mm	1895*1325mm	1965*1175mm	2170*1175mm
Active Size (short-cut key included)	2042mm(80.4")	2312mm (91")	2290mm (90.1")	2468mm (97.2")
Active Projection Area	1567*1175mm	1767*1325mm	1880*1175mm	2085*1175mm
Projection Diagonal Size	1958.6mm(77.1")	2209mm (86.9")	2217mm (87.3")	2393mm(94.2")
Projection Ratio	4:3	4:3	16:10	16:9
Packing Size	1870*1395*80mm	2120*1550*80mm	2185*1395*75mm	2290*1395*80mm
Gross /Net Weight	24.2 / 16.8kgs	31.2 / 22.2kgs	34.2 / 24.2kgs	34.2 / 24.2kgs
Writing Point	4 Point Touch (6/10 point Optional)		6 Point Touch (10 point Optional)	
Position Technology	Infrared Technology			
Resolution	32768(W) × 32768(D)			
Respond Time	Single Mode:13ms Continue: 3ms / Multi mode: Click: 15ms Continue: 8ms			
Transmission Speed	38400bps			
Cursor Speed	Max 300dots/second			
Touch Accuracy	<2mm			
Driver Support(OS)	Window/ Linux/ Android/	Window/ Linux/ Android/ Mac		
Touch Life	Touch Point ( Infinite times )			
USB Data Line	5m/(10m Optional)			
Power Supply	USB			
Installation Method	Wall Mount (Optional) /lifting mobile support(optional)			
Working Voltage	5.0V±5%			

Xi'an Huiqun Group Co., Ltd

Address: No.188, Dongsheng Mansion, North of Wenyi Road, Beilin District, Xi'an, China.

Mob.: +86-18209185937

Email: windy@xahuiqun.com



## Product Specifications



<b>Working Current</b>	<b>200mA</b>
<b>Power Consumption</b>	<b>≤1W</b>
<b>Operation Temperature</b>	<b>-20 °C ~ 60 °C</b>
<b>Operation Humidity (%)</b>	<b>20% ~90%</b>
<b>Storage Temperature</b>	<b>-30°C ~ 85°C</b>
<b>Storage Humidity (%)</b>	<b>10%~90%</b>
<b>Interface</b>	<b>USB</b>
<b>Certifications</b>	<b>CE, FCC, RoHS</b>
<b>Installation Method</b>	<b>Wall Mount (Optional) /lifting mobile support(optional)</b>
<b>Enclosure</b>	<b>2 pcs electronic pen, 1 pc USB data line, wall mount, 1 pc interactive whiteboard software drive CD, 1 of this using manual, 1 pc warranty card</b>

**Xi'an Huiqun Group Co., Ltd**

**Address: No.188, Dongsheng Mansion, North of Wenyi Road, Beilin District, Xi'an, China.**

**Mob.: +86-18209185937**

**Email: windy@xahuiqun.com**